



999.00 EUR incl. 19% VAT, plus shipping



Support: **Specifications**

Because of its size (115 x 111 x 51mm !) the system is perfect for these applications :

- POS
- Digital Signage
- Kiosk

Or use as attractive office-computer or server.

For a full PC you need in addition :

- SO-DDR-4 RAM
- M.2 SSD or 2.5" HDD/SSD

Features :

- CPU: Intel Core i3-7100U, 2x 2.40GHz, 3MB Cache, 15W TDP
- RAM: 2x DDR4 SO-DIMM, dual PC4-17000S, max. 32GB (UDIMM)
- 1x M.2/M-Key (PCIe 3.0 x4, M.2 2280/2242)
- 1x 2.5", 9.5mm



- Intel HD Graphics 620 (IGP), HDMI 2.0, Mini DisplayPort 1.2
- 4x USB 3.0, 1x Gb LAN (Intel I219-V), 1x Klinke, Cardreader (SD/SDHC/SDXC), NFC (Header)
- WLAN 802.11a/b/g/n/ac, Bluetooth 4.2
- Audio: 7.1 (Intel HD Audio)
- Power supply: 65W, external
- VESA-mounting: 75x75, 100x100 (included)
- Dimensions (WxHxD): 115x111x51mm

Get ready for truly immersive entertainment. The Intel® NUC Kit NUC7i3BNH is built with a dual-core 7th Generation Intel® Core[™] i3 processor. So whether you're streaming the latest movie or need to finish that last minute presentation, you've got the performance to handle it with ease. With dual-array front microphones, you can take full advantage of Windows® 10 and Cortana*. Now you've got your own digital personal assistant to keep you on time to appointments, help you send email, or find that new recipe. Intel® NUC Kit NUC7i3BNH also supports 4K at 60 Hz via an HDMI* 2.0 port. A multi-color LED ring lets you personalize your NUC with the look you want. Also features a 2.5" drive bay for an SSD or HDD with up to 2 TB of storage.

Processor	7th Generation Intel® Core™ i3-7100U (2.4 GHz, Dual Core, 3MB cache, 15W TDP)
Intel® Optane™ Memory Ready	Yes
Memory	Dual-channel DDR4-2133 SODIMMs, 1.2V, 32GB maximum
lionoly	Intel® HD Graphics 620
Graphics	1x HDMI* 2.0 port with 4K at 60 Hz
Capinoo	1x USB 3.1 Gen2 (10 Gbps) and Mini DisplayPort* 1.2 via USB-C
	Up to 7.1 surround audio via HDMI* or DisplayPort* signals
Audio	Headphone/microphone jack on the front panel
	Dual array front mics on the chassis front
	1x HDMI* 2.0 port with 4K at 60 Hz
	1x USB 3.1 Gen 2 (10 Gbps) and Mini DisplayPort* 1.2 via USB-C
Peripheral connectivity	2x front USB 3.0 ports (one charging)
	2x rear USB 3.0
	2x internal USB 2.0 via header
	Front Consumer Infrared port
	M.2 22x42/80 (key M) slot for SATA3 or PCIe* X4 Gen3 NVMe* or
	AHCI SSD
Storage	Micro SDXC slot with UHS-I support
	One SATA3 port for connection to 2.5* HDD or SSD (up to 9.5 mm
	thickness)
	Intel® I219-V 10/100/1000 Mbps Ethernet
Networking	Intel® Wireless-AC 8265 soldered-down, IEEE 802.11ac 2x2 +
	Bluetooth® v4.2, internal antennas
Enclosure	Aluminum and plastic with replaceable lid
	115 mm x 111 mm x 51 mm
Power adapter	19V, 65W wall-mount AC-DC power adapter
	Microsoft Windows® 10 logo'd, compatible with various Linux
Additional features	distros
	Support for user-replaceable third-party lids
	Fan sensor inputs used to monitor fan activity
	ACPI-compliant power management control
	HDD LED, Power LED, power on/off
	Multi-color selectable front panel LED ring
	Kensington* lock with base security
	3-year warranty



Intel® NUC Kit NUC7i3BNH

- VESA* mount bracket and mounting hole support
- 19V, 65W wall-mount AC-DC power adapter with multi-country AC plugs
- Integration guide
- Processor badge

Included in the box